

Thank you for purchasing the patented Window Lounger by K&H Pet Products.
When used correctly, your Window Lounger should provide years of hassle-free comfort and window viewing for your cat.

ASSEMBLY OF YOUR Window Lounger

- 1** Remove all pieces of Window Lounger and lay out on a table. Included in the box are 2 suction cups, 2 stability rods, frame and cover. See **Figure 1**.
- 2** Turn the frame and cover upside down on the table. Detach the hook and loop material on both long sides and on one end only and lay the 3 open flaps flat on the table. See flaps in **Figure 2**. You will now be installing the stability rods and completing the assembly of the Window Lounger.
- 3** Install both stability rods into the plastic joints and push your frame together until it is taut. See **Figure 3**. Re-attach the hook and loop material by folding over the 3 flaps and pressing down the 3 open sides around the frame. Adjust the material around all edges of the frame until the cover is nice and tight on the frame.
- 4** Turn cover and frame over to top side and install the suction cups onto the frame. It may require some turning and pushing. These are meant to be tight and should be installed onto corners of the unit for stability. See **Figure 4**.




Figure 1



Figure 3



Figure 4

Leave 1 end flap attached to hook and loop material to hold frame.




Figure 2

Detach 3 flaps and lay down flat leaving one end attached.

INSTALLATION OF YOUR Window Lounger

- 1** Using glass cleaner, thoroughly clean and dry the window that will accommodate the Window Lounger. Clean each suction cup to ensure proper adhesion to the window.
- 2** Holding the platform with the suction cups facing the window, gently push one suction cup against the window. See **Figure 5**.



Figure 5

Continued on other side...

INSTALLATION OF YOUR Window Lounger Continued . . .

3 Level the platform and gently push the second suction cup against the window. See **Figure 6**.

4 With fingers, push remaining air out of the suction cups to ensure a proper adhesion. See **Figure 7**.

5 Align each support strap and adhere the suction cups to the window taking care to keep similar tension on each strap. See **Figure 8**.

6 Make sure your Window Lounger is level. Readjust as needed.

TIP To operate blinds, curtains and window coverings with Window Lounger attached, simply flip up your new Window Lounger against the window. Pull back both top corners of hook and loop material on both the right and left sides. See **Figure 9**. Pull straps on both right and left sides and secure them underneath hook and loop material and then press down to adhere. See **Figure 10**. This will support the platform in the upright position. Blinds and curtains can now operate normally.



Figure 6



Figure 7



Figure 9



Figure 10



Figure 8

Secure straps under hook and loop material on both sides

Care Instructions:

Remove cover. Machine wash & line dry.
Wipe frame with a damp cloth.

Caution: As with any suction cup, debris, temperature changes, sunshine and excessive use can weaken the holding power. We recommend removing the suction cups at least once per month to clean the window area, clean the suction cups and then re-install them for optimal strength.

K&H Limited One Year Warranty

Our warranty is as follows: K&H Pet Products warrants to the original consumer, that this product will be free of defects and workmanship for a period of one year from the date of purchase. The manufacturer's liability hereunder is limited to replacement of the product. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering, or other causes not arising from defects in material and workmanship.

To exercise your warranty: If, during the warranty period, your product malfunctions, return it to the place of purchase with your **original purchase receipt**. If this cannot be done, return the product, postage prepaid, to K&H Pet Products, with a **dated proof of purchase or original date receipt**. A return authorization number can be obtained by calling (719) 591-6950 and must accompany all returns to manufacturer. Please include a note explaining the problem when returning the product.

Window Double Lounger

Care & Instructions

PATENTED
U.S. Patent # 9,924,697

Made in China
K&H Pet Products
Colorado Springs, CO
www.khpet.com | (719) 591-6950



Thank you for purchasing the patented Window Double Lounger by K&H Pet Products.
When used correctly, your Window Double Lounger should provide years of hassle-free comfort and window viewing for your cat.

ASSEMBLY OF YOUR Window Double Lounger

- 1** Remove all pieces of Window Double Lounger and lay out on a table. Included in the box are 4 suction cups, 4 stability rods, 2 frames and 2 covers. See **Figure 1**.
- 2** Turn both frames and covers upside down on the table. Start with one of the frames, and detach the hook and loop material on both long sides and on one end only. Lay the 3 open flaps flat on the table. See flaps in **Figure 2**. You will now be installing the stability rods and completing the assembly of the Window Double Lounger.
- 3** Install both stability rods into the plastic joints and push your frame together until it is taut. See **Figure 3**. Re-attach the hook and loop material by folding over the 3 flaps and pressing down the 3 open sides around the frame. Adjust the material around all edges of the frame until the cover is nice and tight on the frame. Repeat steps 2 & 3 for the second frame and cover.
- 4** Turn both covers and frames over to the top side at the same time and install the suction cups onto each frame. It may require some turning and pushing. These are meant to be tight and should be installed onto corners of the unit for safety and stability. See **Figure 4**.




Figure 1

Leave 1 end flap attached to hook and loop material to hold frame.



Figure 3



Figure 4




Figure 2

Detach 3 flaps and lay down flat leaving one end attached.

INSTALLATION OF YOUR Window Double Lounger

- 1** Using glass cleaner, thoroughly clean and dry the window that will accommodate the Window Double Lounger. Clean each suction cup to ensure proper adhesion to the window.
- 2** Holding the bottom platform (no hole) with the suction cups facing the window, gently push one suction cup against the window. See **Figure 5**.
TIP: Let second platform (with hole) hang down in front of you. See **Figure 6**.



Figure 5

Continued on other side . . .

Window Double Lounger

Care & Instructions

Made in China
K&H Pet Products
Colorado Springs, CO
www.khpet.com | (719) 591-6950



INSTALLATION OF YOUR Window Double Lounger Continued . . .

- 3** Level the platform and gently push the second suction cup against the window. With fingers, push remaining air out of the suction cups to ensure a proper adhesion. See **Figure 6**.
- 4** Lift the top platform to the desired level, suspending the bottom platform with the support straps. Adhere the top platform suction cups as in steps 2 & 3. See **Figure 7**.
- 5** Align each top support strap and adhere the suction cups to the window taking care to keep similar tension on each strap. See **Figure 8**.
- 6** Step back and make sure your Window Double Lounger is level. Readjust as needed.

TIP To operate blinds, curtains and window coverings with Window Double Lounger attached, simply flip up your new Window Double Lounger against the window. Pull back both top corners of hook and loop material on both the right and left sides. See **Figure 9**. Pull straps on both right and left sides, and secure them underneath hook and loop material and then press down to adhere. See **Figure 10**. This will support the platform in the upright position. Blinds and curtains can now operate normally.



Figure 6



Figure 7



Figure 9




Figure 10



Figure 8

Secure straps under hook and loop material on both sides

Care Instructions:
Remove cover. Machine wash & line dry.
Wipe frame with a damp cloth.

Caution: As with any suction cup, debris, temperature changes, sunshine and excessive use can weaken the holding power. We recommend removing the suction cups at least once per month to clean the window area, clean the suction cups and then re-install them for optimal strength.

K&H Limited One Year Warranty

Our warranty is as follows: K&H Pet Products warrants to the original consumer, that this product will be free of defects and workmanship for a period of one year from the date of purchase. The manufacturer's liability hereunder is limited to replacement of the product. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering, or other causes not arising from defects in material and workmanship.

To exercise your warranty: If, during the warranty period, your product malfunctions, return it to the place of purchase with your **original purchase receipt**. If this cannot be done, return the product, postage prepaid, to K&H Pet Products, with a **dated proof of purchase or original date receipt**. A return authorization number can be obtained by calling (719) 591-6950 and must accompany all returns to manufacturer. Please include a note explaining the problem when returning the product.